


Maths Calculation Policy




With thankfulness, courage and love, we strive to improve heart and mind









0 1 2 3 4 5 6 7			
understand and use vocabulary for addition add, more, and, make, sum, total, altogether, score, double, one more, two more, ten more how many more to make? how many more is than? is the same as	understand and use vocabulary for subtraction take (away), leave, how many are left/left over? how many have gone? one less, two less ten less how many fewer is than? difference between is the same as	understand and use vocabulary for multiplication count on (from, to), count back (from, to), count in ones, twos tens is the same as	understand and use vocabulary for division half, halve, count out, share out, left, left over is the same as












With thankfulness, courage and love, we strive to improve heart and mind




understand and use vocabulary for addition and subtraction, e.g. take away, use a variety of language to describe multiplication understand and use vocabulary for addition, e.g. put together, add, altogether, use a variety of language to describe division distance between, difference between and less than total and more than count on (from, to), count back (from, to), count in ones, twos, threes, fours, Array, row, column, halve, share, share equally, one each, two each, three each... - subtract, take (away), minus, leave, how many are left/left over? how many group in pairs, threes... tens, equal groups of +, add, more, plus, make, total, altogether, score, double, near double, one more, fives... count in tens, lots of, groups of, x, times, multiply, multiplied by, multiple of, once, twice, three times... ten times... times as (big, long, wide... and two more... ten more, have gone? one less, two less, ten less... how many fewer is... than...? how much ÷, divide, divided by, divided into, left, left over so on), repeated addition, array, row, column, double, halve less is...? difference between, half, halve, counting up/back... = equals, sign, is the same as How many more to make...? How many more is... than...? How much more is...? Repetition of facts with different vocabulary: Repetition of facts with different vocabulary: "What is 2 add 5?" "What is 2 more than 5?" "What is 7 take away 3?" "What is 3 less than 7?" "What is 2 plus 5?" What is the total of 2 and 5?" etc. "What is 7 subtract 3?" "What is the difference between 3 and 7?" etc.

Year 2				
Number - addition and subtraction		Number - multiplication and division		
recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100	recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100	recall and use multiplication facts for the 2,5 and 10 multiplication tables, including recognising odd and even numbers	recall and use division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers	
Play games, chant, test etc. to increase speed of recalling facts to 20. Make models and images to display facts. Investigate related facts to 100 and repeat above.	Play games, chant, test etc. to increase speed of recalling facts to 20. Make models and images to display facts. Investigate related facts to 100 and repeat above.	Play games, chant, test etc. to increase speed of recalling facts to 20. Make models and images to display facts. Investigate related facts to 100 and repeat above.	Play games, chant, test etc. to increase speed of recalling facts to 20. Make models and images to display facts. Investigate related facts to 100 and repeat above.	
add numbers using concrete objects, pictorial representations, and mentally, including: a two-digit number and ones or tens	subtract numbers using concrete objects, pictorial representations, and mentally, including:	connect the 10 multiplication table to place value, and the 5 multiplication table to the divisions on the clock face	connect the 10 multiplication table to place value, and the 5 multiplication table to the divisions on the clock face	
a two-digit number and ones or tens	a two-digit number and ones or tens	H T U 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	H T U 11 12 11 12 12 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	










With thankfulness, courage and love, we strive to improve heart and mind





Year 3			
Number - addition and subtraction		Number - multiplication and division	
add numbers mentally, including: • a three-digit number and ones • a three-digit number and tens • a three-digit number and hundreds • a three-digit number and hundreds • a three-digit number and hundreds • a three-digit number and hundreds		recall and use multiplication facts for the 3, 4 and 8 multiplication tables Play games, chant, test etc. to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within tables. recall and use division facts for the 3, 4 and 8 multiplication tables. Play games, chant, test etc. to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within tables.	
		understand and use mental methods using commutativity and associativity (for example, $4 \times 12 \times 5 = 4 \times 5 \times 12 = 20 \times 12 = 240$)	


With thankfulness, courage and love, we strive to improve heart and mind




Counting on	Adding near numbers and adjusting
115 + 2	433 + 90 = 433 + 100 - 10 = 533 - 10
"Put 115 in your head, 116, 117."	= 523
Partition number and recombine	Count on by splitting units to make next multiple of ten/hundred
127 + 90 = 100 + 20 + 7 + 90	
= 100 + 110 + 7	360 + 80 = 360 + 40 + 40
= 100 + 117	= 400 + 40
= 217	= 440

• two two-digit numbers (including answer crossing 100)

Counting on with number lines 48 + 36 = 84	Partition both numbers and recombine 27 + 82 = 20 + 7 + 80 + 2 = 100 + 9 = 109
Add the nearest multiple of 10, then adjust	Count on by partitioning the second number only
63 + 59 is the same as 63 + 60 - 1	36 + 93 = 93 + 30 + 6 = 123 + 6 = 129



• two two-digit numbers (including answer crossing 100)



Use a variety of resources (including a calculator) to investigate order of multiplication.

Make models and images to display facts.

understand and use mental methods using multiplication facts (e.g. using $3 \times 2 = 6$, $6 \div 3 = 2$ and $2 = 6 \div 3$) to derive related facts (e.g. $30 \times 2 = 60$, $60 \div 3 = 20$ and $20 = 60 \div 3$)

$$30 \times 5 = 150$$
 $50 \times 3 = 150$ $150 \div 5 = 30$ $150 \div 3 = 50$

$$3 \times 5 = 15$$
 0000 $15 \div 3 = 5$

$$3 \times 50 = 150$$
 $5 \times 3 = 15$ 0000 $15 \div 5 = 3$

$$5 \times 30 = 150$$
 $50 \times 30 = 1500$ $30 \times 50 = 1500$ $150 \div 50 = 3$



add numbers with up to three digits, using formal written methods of columnar addition

Extend mental method of partitioning and recombining.	Vertical expansion 367
158 + 72 = 100 + (50 + 70) + (8 + 2) = 100 + 120 + 10 = 230	12 140 400 552
Column addition 367 +185 552 11	Including money $\stackrel{\text{f.}}{\underset{\text{f.}}{\text{f.}}} 2.50$ $\stackrel{\text{f.}}{\underset{\text{f.}}{\text{f.}}} 4.25$



Use base 10 (<u>diennes</u>) or place value counters to support understanding of carrying and to ensure conceptual understanding of place value:

200 + 40 + 6

300 + 20 + 2

70 + 6

If children are experiencing persistent difficulties, they could use the partitioned column method with carrying (using Diennes for support):

subtract numbers with up to three digits, using formal written methods of columnar subtraction $% \left(1\right) =\left(1\right) \left(1\right)$

Use base 10 (diennes) as a practical method to introduce exchanging

When pupil(s) are confident in doing this practically and verbalizing the calculation, begin to record using partitioned column method:

$$\begin{array}{r}
20 & 1 \\
30 + 1 \\
\hline
-10 + 8 \\
\hline
10 + 3
\end{array}$$

When secure with exchanging, use partitioned column method to solve calculations involving 3 digit numbers. Repeating the practical stage if necessary.

Introduce Column Subtraction without decomposition:

develop reliable written methods for multiplication, starting with calculations of two-digit numbers by one-digit numbers and progressing to the formal written methods of short multiplication

Start by reinforcing mental methods of partitioning:

$$15 \times 2 = 30$$

$$20 + 10 = 30$$

13 x 3 = (10 x 3) + (3 x 3) = 30 + 9 = 39

32 x 3

96

develop reliable written methods for division, starting with calculations of two-digit numbers by one-digit numbers and progressing to the formal written methods of short division

Use counters and a number line to support pupils understanding, Number lines How many 3's make 18?

0 3 0 9 12 16 18 Hoops and dots 16 ÷ 2 = 8

d dots

Move on to calculations that leave remainders and/or require tables knowledge:
1) 16+3=5 r.1

When pupils have had experience with and demonstrated understanding of grouping for division, begin to look at short division with no remainders in the final answer.

Use counters/Diennes to support understanding.





3 2 3) 9 6

solve problems, including missing number problems, using number facts, place value, and more complex addition

Missing numbers should be placed in all possible places:

3 + 4 = 🗆	□ = 4 + :
3 + 🗆 = 7	7 = 🗆 +
4 + 🗆 = 7	7 = 3 + 1
□ + ∇ = 7	7 = 🗆 + 5

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method

solve problems, including missing number problems, using number facts, place value, and more complex subtraction

Missing numbers should be placed in all possible places:

16 - 9 = 🗆	□ = 16 - !
16 - 🗆 = 7	7 = 🗆 - 9
□ - 9 = 7	7 = 16 - 1
□ - ∇ = 7	7 = □ - ▽

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method

solve problems, including missing number problems, involving multiplication, including positive integer scaling problems and correspondence problems in which n objects are connected to mobilects.

solve simple problems in contexts, deciding which of the four operations to use and why

Missing numbers placed in all possible places.

$$7 \times 2 = 0$$
 $= 2 \times 7$
 $7 \times 0 = 14$ $14 = 0 \times 7$
 $0 \times 2 = 14$ $14 = 2 \times 0$
 $0 \times 7 = 14$ $14 = 0 \times 7$

Extend to $2 \times 6 = 3 \times \square$ and using three numbers $10 \times \square \times \square = 60$ $12 = 2 \times \square \times 2$

Singapore Bar Method

solve problems, including missing number problems, involving division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects

solve simple problems in contexts, deciding which of the four operations to use and why

Missing numbers placed in all possible places.


6 ÷ 2 = 🗆	□ = 6 ÷
6 ÷ □ = 3	3 = 6 ÷
□ ÷ 2 = 3	3 = □ ÷
$\Box \div \nabla = 3$	3 = □ ÷ 1

Extend to $12 \div 6 = 8 \div \ \square$ and using three numbers $10 \div 5 \div \ \square = 1 \qquad \qquad 3 = 12 \div \square \div 2$

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method





Year 4				
Number - addition and subtraction		Number - multiplication and division		
add numbers mentally, including: • a four-digit number and ones • a four-digit number and tens • a four-digit number and hundreds • a four-digit number and thousands	subtract numbers mentally, including: a four-digit number and ones a four-digit number and tens a four-digit number and hundreds a four-digit number and thousands	recall multiplication facts for multiplication tables up to 12 × 12 Play games, chant, test etc. to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within tables.	recall division facts for multiplication tables up to 12 × 12 Play games, chant, test etc. to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within tables.	





• three and two-digit numbers

Partition both numbers into hundreds, tens and ones and recombine	Partition second number only into hundreds, tens and ones and recombine		
358 + 73 = 300 + 50 + 8 + 70 + 3 = 300 + 120 + 11 = 420 + 11 = 431	358 + 73 = 358 + 70 + 3 = 428 + 3 = 431		
Partitioning with number lines +70 +3 358 428 431	Add the nearest multiple of 10 or 100, then adjust 458 + 79 = 458 + 80 - 1		

Counting back: 5263 - 5

"Put 5263 in your head, 5262, 5261, 5260, 5259, 5258."

Subtract mentally a 'near multiple of 10' to or from a two-digit number:

3678 - 90 = 3678 - 100 + 10


Use unprepared numbered lines to subtract, by counting back:

1516 - 400 = 1116

1116 1216 1316 1416 1516

1110 - 100 - 100 - 100 - 100

three and two-digit numbers




use place value, known and derived facts to multiply mentally, including: multiplying by 0 and 1; multiplying together three numbers practise and extend mental methods to three-diait numbers to derive facts. (for

practise and extend mental methods to three-digit numbers to derive facts, (for example $600 \div 3 = 200$ can be derived from $2 \times 3 = 6$)

Jse knowledge of multiplication facts and place value to derive related facts.

$30 \times 5 = 150$	50×3	= 150	$150 \div 5 = 30$	$150 \div 3 = 50$
	$3 \times 5 = 15$	0000	15 ÷ 3 = 5	
3 × 50 = 150		0000	00	150 ÷ 30 = 5
	$5 \times 3 = 15$	0000	15 ÷ 5 = 3	

5 × 30 = 150 50 × 30 = 1500 50 × 30 = 1500 50 × 30 = 1500



 $18 \times 9 = (10 \times 9) + (8 \times 9)$ = 90 + 72= 162

 $5 \times 30 = 150$

Partition

recognise and use commutativity in mental calculations write statements about the equality of expressions (for example, use the distributive law $39 \times 7 = 30 \times 7 + 9 \times 7$ and associative law $(2 \times 3) \times 4 = 2 \times (3 \times 4)$

Use a variety of resources (including a calculator) to investigate order of multiplication. Make models and images to display facts.

ecognise and use factor pairs in mental calculations

example $600 \div 3 = 200$ can be derived from $2 \times 3 = 6$

 $3 \times 5 = 15$

 $50 \times 3 = 150$

Use a variety of resources (including a calculator) to investigate factor pairs. Make nodels and images to display facts.

use place value, known and derived facts to divide mentally, including: dividing by 1

ractise and extend mental methods to three-digit numbers to derive facts, (for

Ise knowledge of multiplication facts and place value to derive related facts.

00000

 $150 \div 5 = 30$

 $50 \times 30 = 1500$ $30 \times 50 = 1500$ $150 \div 50 = 3$

 $150 \div 30 = 5$

add numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate

Column addition

To ensure conceptual understanding, it is essential that place value is reinforced by frequently.

Discussing the actual value of each digit, e.g. the 5 digit represents 5 hundreds.

Use base 10 (Dienes) or place value counters to support understanding of carrying and to ensure conceptual understanding of place value (see year 2 and 3 for how to use these manipulatives).

Including decimals

To ensure conceptual understanding, it is essential that place value is reinforced by frequently discussing the actual value of each digit, e.g. the 2 digit represents 2 tens.

Use money to support understanding

subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate


Revision of partitioned column method from Year 3. Moving on to numbers with 4 digits: (use Dienes to support when required.)

2	7	5	4	-	ı	5	6	2	=	١	١	9	2
					60	0							
2	0	0	0	+	7	0	0	+ '	5	0	+	4	
1													
١	0	0	0	+	١	0	0	+	9	0	+	2	

Column Subtraction without decomposition

Column Subtraction with decomposition

Once pupils are confident in exchanging and have a clear understanding of place value, move towards the formal compact column method: (use Dienes to support when required.)




nultiply two-digit and three-digit numbers by a one-digit number using formal vritten layout

ormal method of short multiplication when proficient



divide numbers up to 3 digit by a one-digit number using the formal written method of short division and begin to interpret remainders.

Short division with no remainders in the final answer, use place value counters/Dienes where support is required.



Remainders

Begin to interpret remainders by looking at word problems to give context and small numbers to start with.

Cars carry 5 people. !2 people are going on a trip. How many cars will they need?








 $2 \div 5 = 2 r 2$ So they would need 3 cars.

5 buttons are packed in a bag. How many full bags would there be if there were 12 buttons?


With thankfulness, courage and love, we strive to improve heart and mind





With thankfulness, courage and love, we strive to improve heart and mind







add numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction)

Column addition

124.90 (add in a zero to keep + 117.25 the place value)

To ensure conceptual understanding, it is essential that place value is reinforced by frequently. Discuss the value of each digit.

Use base 10 (Diennes) to support understanding of exchanging and to ensure conceptual understanding of place value.

Where there is an 'empty' space in a decimal column, pupils should insert a zero to show the value. Children should be made aware that it is essential to align the columns carefully.

Pupils should be able to add more than 2 + 4.13 numbers using the compact column method.

subtract numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction)

Revision of <u>formal compact column</u> <u>method</u> extending to calculations involving numbers with more than 4 digits (use Diennes to support understanding of decomposition and place value).

7 1 10 8 6 - 2 1 2 8 2 8,9 2 8

When confident in using <u>formal compact column method</u> with integers and decimals involving money (always 2 decimal places), extend to subtraction with mixtures of integers and decimals. A clear understanding of place value is essential. Align the decimal point and use 'place holders', if needed.

- 263.0 26.5 236.5 Use Diennes or place value counters (add counters with 0.1) to support understanding of decomposition and place value.


multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers

Review formal method of short multiplication (for multiplying by one digit numbers) when proficient

1243 X 8 9624

Start with grid method when multiplying by 2 digit numbers


 72×38 is approximately $70 \times 40 = 2800$



Move onto formal Then formal multiplication long multiplication with more complex numbers:

7404 12340 19744 divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context (as fractions, as decimals or by rounding (for example, $98 \div 4 = 98/4 = 24 + r^2 = 24 - \frac{1}{2} = 24.5 = 25)$)

Bus shelter method (short division)




Pupils should consider whether remainders should be left as a reminder, rounded to the nearest whole or converted into a decimal or fraction.

solve addition multi-step problems in contexts, deciding which operations and methods to use and why

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method




solve subtraction multi-step problems in contexts, deciding which operations and methods to use and why

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method


whole



Solve problems that use multiplication and division as inverses, for example, by multiplying and dividing by powers of 10 in scale drawings or by multiplying and dividing by powers of a 1000 in converting between units such as kilometres and metres

Use all the models and images mentioned above. Discuss which is most effective and why.


Singapore Bar Method



Solve problems that use multiplication and division as inverses, for example, by multiplying and dividing by powers of 10 in scale drawings or by multiplying and dividing by powers of a 1000 in converting between units such as kilometres and metres

Use all the models and images mentioned above. Discuss which is most effective

Singapore Bar Method



With thankfulness, courage and love, we strive to improve heart and mind



		use and explain the equals sign to indicate equivalence, including missing number problems (e.g., 13+24 = 12+25; 33 = 5 x []) express distributivism, for example as $a(b+c) = ab+ac$ Use all of the models and images above to investigate a range of statements, ensuring the equals sign is in different positions. Allow time for discussion and reasoning. Display solutions and reasoning. Also use errors or misconceptions as a starting point.	use and explain the equals sign to indicate equivalence, including missing number problems (e.g., $13+24=12+25$: $33=5\times[]$) Use all of the models and images above to investigate a range of statements, ensuring the equals sign is in different positions. Allow time for discussion and reasoning. Display solutions and reasoning. Also use errors or misconceptions as a starting point.
use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy	use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy	use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy	use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy
Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).
use a variety of language to describe addition + add, addition, more, plus, increase, sum, total, altogether, score, double, near double, how many more to make? tens boundary, hundreds boundary, units boundary, tenths boundary, inverse = equals, sign, is the same as	use a variety of language to describe subtraction - subtract, subtraction, take (away), minus, decrease, leave, how many are left/left over? difference between, half, halve, how many more/fewer is than? how much more/less is? tens boundary, hundreds boundary, units' boundary, tenths boundary, inverse	use a variety of language to describe multiplication know and use the vocabulary of prime numbers, prime factors and composite (nonprime) numbers lots of, groups of, times, multiply, multiplication, multiplied by, multiple of, product, once, twice, three times ten times times as (big, long, wide and so on), repeated addition, array, row, column, double, inverse, prime,	use a variety of language to describe division Array, row, column, halve, share, share equally one each, two each, three each group in pairs, threes tens, equal groups of, divide, division, divided by, divided into, remainder, factor, quotient, divisible by, inverse. Prime, factors equals, sign, is the same as
	= equals, sign, is the same as	equals, sign, is the same as	



Year 6 Number - addition and subtraction Number - multiplication and division perform mental calculations, including with mixed operations and large numbers (and decimals) large numbers (and decimals) large numbers (and decimals) large numbers (and decimals) Partition both numbers into hundreds, tens, ones and decimal Use known number facts and place value to subtract Partitioning Partitioning fractions and recombine 6.1 - 2.4 = 3.7 4.7×6 $7.2 \div 3$ 35.8 + 7.3 = 30 + 5 + 0.8 + 7 + 0.3 $4 \times 6 = 2$ $6 \div 3 = 2$ 4.1 3.7 6.1 = 30 + 12 + 1.1 $0.7 \times 6 = ?$ $= 1.2 \div 3 = ?$ = 42 + 1.1 $4.7 \times 6 = ? + ?$ $7.2 \div 3 = ? + ?$ = 43.1 Double and halve -2 -0.4 Partition second number only into hundreds, tens, ones and decimal $4.25 \times 32 = 8.5 \times 16$ fractions and recombine Subtract the nearest whole number then adjust $= 17 \times 8$ 35.8 + 7.3 = 35.8 + 7 + 0.352 - 11.9 = 52 - 12 + 0.1 $= 34 \times 4$ = 42.8 + 0.3 = 40 + 0.1 $= 68 \times 2$ = 43.1 = 40 1 = 136 Add the nearest whole number then adjust identify common factors, common multiples and prime numbers identify common factors, common multiples and prime numbers 52 + 11.9 = 52 + 12 - 0.1 = 64 - 0.1Use a variety of resources (including a calculator) to investigate Use a variety of resources (including a calculator) to investigate = 63.9 common factors, common multiples and prime numbers. Make common factors, common multiples and prime numbers. Make models and images to display facts. Investigate the patterns models and images to display facts. Investigate the patterns


within the numbers.

within the numbers.



practise addition for larger numbers, using the formal written methods of columnar addition

Extend the use of compact column method to adding several numbers with mixed decimals.



Children should be reminded of the importance of aligning the columns accurately.

Where there is an 'empty' space in a decimal column, pupils could insert a zero to show the value.

practise subtraction for larger numbers, using the formal written methods of columnar subtraction

Column Subtraction with decomposition






Including decimals


Revision of formal compact column method extending to more complex integers and applying to problem solving using money and measures, including decimals with different numbers of decimal places. Align the decimal point when setting out calculations.

Use 'place holders' to aid understanding of the value in that column.



multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of short and long multiplication

Short multiplication and Long multiplication as in Year 5, but apply to numbers with decimals



Pupils may need reminding that single digits belong in the ones (units) column.

A sound understanding of place value and the formal method itself are required before progressing to decimal multiplication.

divide numbers up to 4 digits by a two-digit whole number using the formal written method of short and long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context

Short division

Short division







Remainders

Quotients expressed as fractions or decimal fractions $61 \div 4 = 15 \frac{1}{4}$ or 15.25

solve addition multi-step problems in contexts, deciding which operations and methods to use and why

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method

solve subtraction multi-step problems in contexts, deciding which operations and methods to use and why

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method

solve problems involving multiplication

Use all the models and images mentioned above. Discuss which is most effective and why.


Singapore Bar Method

solve problems involving division

Use all the models and images mentioned above. Discuss which is most effective and why.

Singapore Bar Method





With thankfulness, courage and love, we strive to improve heart and mind

